

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	8	(hisashi near ohashi).in.	US-PGPUB; USPAT	OR	OFF	2010/05/10 16:31
S3	5	(kuniaki near sakai).in.	US-PGPUB; USPAT	OR	OFF	2010/05/10 16:31
S4	107	(isao near sasaki).in.	US-PGPUB; USPAT	OR	OFF	2010/05/10 16:32
S5	7	348/333.01-333.04.ccls. and ((display or viewfinder) with (aspect near ratio) with 4:3 with 16:9)	US-PGPUB; USPAT	OR	OFF	2010/05/10 16:48
S6	8	(hisashi near ohashi).in.	US-PGPUB; USPAT	OR	OFF	2010/05/11 07:35
S7	5	(kuniaki near sakai).in.	US-PGPUB; USPAT	OR	OFF	2010/05/11 07:35
S8	107	(isao near sasaki).in.	US-PGPUB; USPAT	OR	OFF	2010/05/11 07:35
S9	2	S6 and S7 and S8 and (assist\$4 near "2" mark \$4)	US-PGPUB; USPAT	OR	OFF	2010/05/11 07:35
S10	1	S6 and S7 and S8 and (captur\$4 near2 mark\$4)	US-PGPUB; USPAT	OR	OFF	2010/05/11 07:37
S11	38	348/333.01-333.04.ccls. and (((captur\$4 or assist \$6) near2 (mark\$4 or lin \$4 or squar\$4 or rectangl \$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) same (display\$4 or viewfidner\$2 or monitor \$2)) and (aspect\$4 near2 ratio\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:41

S12	45	348/333.01-333.04.ccls. and ((aspect\$4 near2 ratio \$4) near2 (mark\$4 or lin \$4 or squar\$4 or rectangl \$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:44
S13	33	S12 not S11	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:44
S14	0	348/333.01-333.04.ccls. and ((aspect\$4 near2 ratio \$4) with (synthesiz\$6))	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:58
S15	299	((aspect\$4 near2 ratio\$4) with (synthesiz\$6))	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:58
S16	60	((aspect\$4 near2 ratio\$4) with (synthesiz\$6) with (mark\$4 or lin\$4 or squar \$4 or rectangl\$4 or indicat \$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 09:59
S17	615	((aspect\$4 near2 ratio\$4) with (enhancement\$2 or enhanc\$5) with (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:43
S18	228	((aspect\$4 near2 ratio\$4) with ((enhancement\$2 or enhanc\$5) near5 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:44

S19	77	348/333.01-333.04.ccls. and ((enhancement\$2 or enhanc\$5) near5 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:46
S20	1	348/333.01-333.04.ccls. and (((enhancement\$2 or enhanc\$5) near5 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) same (aspect\$4 near2 ratio\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:47
S21	10	348/333.01-333.04.ccls. and (((enhancement\$2 or enhanc\$5) near5 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) and (aspect\$4 near2 ratio\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:48
S22	11	((4:3 or 4X3 or 3:4 or 3X4) with (synthesiz\$6) with (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 14:54
S23	27	((4:3 or 4X3 or 3:4 or 3X4) with (enhancement \$2 or enhanc\$5) with (mark\$4 or lin\$4 or squar \$4 or rectangl\$4 or indicat \$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/11 15:00

S24	127	((assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (overlay\$5 or superimpos\$5 or highlight\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:14
S25	37	S24 and ((compos\$4 with (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) or (composition\$2 with (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:18
S26	2	("5687408" "5873007"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/12 07:24
S27	59	((assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (overlay\$5 or superimpos\$5 or highlight\$4)) and (compos\$4 or composition\$2)	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:28
S28	22	S27 not S25	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:28
S29	68	S24 not S27	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:31
S30	392	396/296.ccls.	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:47

S31	0	396/296.ccls. and (((assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (overlay\$5 or superimpos\$5 or highlight\$4))	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:47
S32	1	396/296.ccls. and (((assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:48
S33	13	396/296.ccls. and (((compos\$4 or composition\$2) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/12 07:49
S34	3	("20040189849" "20050168594" "20050264650").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/12 07:58
S35	7	396/296.ccls. and (((enhancement\$2 or enhanc\$5 or synthesiz\$7 or highlight\$5) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/12 08:04
S36	51	396/296.ccls. and (enhancement\$2 or enhanc\$5 or synthesiz\$7 or highlight\$5)	US-PGPUB; USPAT	OR	OFF	2010/05/12 08:09
S37	2	348/239.ccls. and (identification near\$2 system).ti.	US-PGPUB; USPAT	OR	OFF	2010/05/12 08:48

S39	77	348/333.01-333.04.ccls. and (((compos\$4 or composition\$2) near (mark \$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4 or index\$4)))	US-PGPUB; USPAT	OR	OFF	2010/05/12 08:53
S40	13	348/333.01-333.04.ccls. and (((compos\$4 or composition\$2) near (mark \$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4 or index\$4))) and (aspect\$4 adj ratio\$4)	US-PGPUB; USPAT	OR	OFF	2010/05/12 08:54
S41	79	348/333.01-333.04.ccls. and ((on\$screen adj (device or display)) or OSD)	US-PGPUB; USPAT	OR	OFF	2010/05/12 09:10
S42	5	348/333.01-333.04.ccls. and ((on\$screen adj (device or display)) or OSD) and (aspect\$4 adj ratio\$4)	US-PGPUB; USPAT	OR	OFF	2010/05/12 09:45
S43	8	348/333.01-333.04.ccls. and ((on\$screen adj (device or display)) or OSD) and (4:3 or 4X3 or 3:4 or 3X4 or "480"\$1 or ((standard or high) near1 definition\$2))	US-PGPUB; USPAT	OR	OFF	2010/05/12 09:49
S44	33	348/222.1-239.ccls. and ((on\$screen adj (device or display)) or OSD) and (4:3 or 4X3 or 3:4 or 3X4 or "480"\$1 or ((standard or high) near1 definition\$2))	US-PGPUB; USPAT	OR	OFF	2010/05/12 09:52
S45	11	348/239.ccls. and ((compos\$4 or composition \$2) with (off))	US-PGPUB; USPAT	OR	OFF	2010/05/12 17:21

S46	25	(digital adj camera) and (output\$4 with (standard or conventional) with ((high adj definition) or wide))	USPAT	OR	OFF	2010/10/20 17:33
S47	1	"7525589".pn.	US-PGPUB; USPAT	OR	OFF	2011/02/03 16:37
S48	1	"20040201764".pn.	US-PGPUB; USPAT	OR	OFF	2011/02/03 16:40
S49	85	((assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) near9 (output\$4 near5 (video or imag\$4 or connection\$2 or terminal \$2 or signal\$2))	US-PGPUB; USPAT	OR	OFF	2011/02/03 16:58
S50	1	((captur\$4 or record\$4) near (assist\$7) near (mark \$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) near9 (output\$4 near5 (video or imag\$4 or connection\$2 or terminal \$2 or signal\$2))	US-PGPUB; USPAT	OR	OFF	2011/02/03 17:02
S51	1	((captur\$4 or record\$4) near (assist\$7) near (mark \$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (output\$4 near5 (video or imag\$4 or connection\$2 or terminal \$2 or signal\$2))	US-PGPUB; USPAT	OR	OFF	2011/02/03 17:02

S52	2	((captur\$4 or record\$4) near (assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) same (output\$4 near\$5 (video or imag\$4 or connection\$2 or terminal\$2 or signal\$2))	US-PGPUB; USPAT	OR	OFF	2011/02/03 17:03
S53	14	((captur\$4 or record\$4) near (assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) and (output\$4 near\$5 (video or imag\$4 or connection\$2 or terminal\$2 or signal\$2))	US-PGPUB; USPAT	OR	OFF	2011/02/03 17:04
S54	30	((captur\$4 or record\$4) near (assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))	US-PGPUB; USPAT	OR	OFF	2011/02/03 17:09
S55	2	(choi).in. and (brian near\$2 yenke)	USPAT	OR	OFF	2011/02/04 10:52
S56	61	(dorricott).in.	USPAT	OR	OFF	2011/02/04 10:58
S57	4	(assist\$7) near (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4) and 348/722.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/04 11:04
S58	461	348/722.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/04 11:11

S59	0	((aspect\$4 near2 ratio\$4) with ((enhancement\$2 or enhanc\$5) near5 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4))) and 348/722.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/04 11:12
S60	30	(aspect\$4 near2 ratio\$4) and 348/722.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/04 11:13
S61	0	("2009/0225179").URPN.	USPAT	OR	OFF	2011/02/04 11:46
S62	15	("5499074" "5687408" "5732298" "5873007" "5883666" "6219492" "6597817" "6606117" "6636635" "6687386" "6766055" "6806906" "6912311").PN. OR ("7274400").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/04 11:46
S63	82	348/333.01-333.12.ccls. and (((captur\$4 or assist\$6) near2 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) same (output\$4 near5 (video or imag\$4 or connection\$2 or terminal\$2 or signal\$2))))	US-PGPUB; USPAT	OR	OFF	2011/02/04 12:14
S64	44	348/333.01-333.12.ccls. and (((captur\$4 or assist\$6) near2 (mark\$4 or lin\$4 or squar\$4 or rectangl\$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (output\$4 near5 (video or imag\$4 or connection\$2 or terminal\$2 or signal\$2))))	US-PGPUB; USPAT	OR	OFF	2011/02/04 12:15

S65	82	348/333.01-333.12.ccls. and (((captur\$4 or assist \$6) near2 (mark\$4 or lin \$4 or squar\$4 or rectangl \$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) same (output\$4 near5 (video or imag\$4 or connection\$2 or terminal \$2 or signal\$2))))	US-PGPUB; USPAT	OR	OFF	2011/02/07 07:53
S66	44	348/333.01-333.12.ccls. and (((captur\$4 or assist \$6) near2 (mark\$4 or lin \$4 or squar\$4 or rectangl \$4 or indicat\$7 or point\$4 or adjust\$6 or setting\$2 or position\$4 or symbol\$4 or area\$2 or region\$4 or segment\$4 or fram\$4)) with (output\$4 near5 (video or imag\$4 or connection\$2 or terminal \$2 or signal\$2))))	US-PGPUB; USPAT	OR	OFF	2011/02/07 07:53
S67	38	S65 not S66	US-PGPUB; USPAT	OR	OFF	2011/02/07 07:53
S68	2	10/926061.app.	US-PGPUB; USPAT	OR	OFF	2011/03/10 17:04
S69	1	12/127445.app.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:33
S70	2	11/258960.app.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:34
S71	0	09/766577.pn.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:35
S72	1	09/766577.app.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:36
S73	1	11/511641.app.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:37
S74	464	348/722.ccls.	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:44
S75	8	348/722.ccls.and (output \$4 with (standard or conventional) with ((high adj definition) or wide\$9))	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:45

S76	0	348/722.ccls.and (output \$4 with (4:3 or 4X3 or 3:4 or 3X4) with (16:9 or 9:16 or 16x9 or 9x16))	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:50
S77	9	348/722.ccls.and ((4:3 or 4X3 or 3:4 or 3X4) with (16:9 or 9:16 or 16x9 or 9x16))	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:51
S78	29	348/722.ccls.and ((standard or conventional) with ((high adj definition) or wide\$9))	US-PGPUB; USPAT	OR	OFF	2011/03/11 08:55
S79	1	348/722.ccls.and ((many or mulitple or several or plurality) near camera near output\$4)	US-PGPUB; USPAT	OR	OFF	2011/03/11 09:03
S80	0	348/333.01-333.12.ccls. and ((many or mulitple or several or plurality) near camera near output\$4)	US-PGPUB; USPAT	OR	OFF	2011/03/11 09:05
S81	21	"348"\$\$.clas. and ((many or mulitple or several or plurality) near camera near output\$4)	US-PGPUB; USPAT	OR	OFF	2011/03/11 09:05

3/ 11/ 2011 5:07:10 PM

C:\Documents and Settings\mmonk\My Documents\ EAST\ Workspaces\ 10585086.wsp